4-way cable connector (X-type), IP68, 3x4mm2, 450V/25A

Marka: **Orno** | Symbol: **OR-AE-13615** | Ean: **5908254821042**



PRODUCT DESCRIPTION

This small-sized X-type cable connector is suitable for cables with a maximum cross-section of 4mm2. High degree of tightness IP68 guarantees resistance against external factors, and the innovative O-Ring seal does not expose the seal to damaging external, chemical and mechanical conditions. The material used for the production of the connector is resistant to UV rays and is suitable for outdoor use. Its rigid, compact form and innovative sealing enable installation in the ground. The contacts are made of brass, additionally protected against oxidation with a layer of nickel. The cable gland is equipped with a thick gasket that tightly seals all

ORNO GROUP Sp. z o. o. All rights reserved.

Update date: 2026-08-28 16:05:55

inserted wires.

TECHNICAL DATA

General information:

Connector type:	Type X 4-way
Wire cross-section:	4 mm²
Number of wires:	3
Power supply:	450V
Current:	25 A
Cable gauge:	6-12 mm
Degree of protection (IP):	68
Contacts material:	nickel-plated brass
Flame-resistant casing:	yes
UV radiation resistance:	Yes
Dimensions - width:	100 mm
Case flammability standard UL94:	V1
Dimensions - length (mm):	100 mm
Type of connection:	screw clamp
Underground installation:	Yes
Material housing:	PA6

ORNO GROUP Sp. z o. o. All rights reserved.



ORNO GROUP Sp. z o. o. All rights reserved.