Mini, flat microwave sensor 360° with DIP switch

Marka: **Orno** | Symbol: **OR-CR-229** | Ean: **5901752483408**



PRODUCT DESCRIPTION

Microwave (radar) motion sensor with low power emission For indoor usage Collaborates with LED lighting Regulation: lighting time (TIME), the sensitivity of the light intensity (LUX) and the range of motion detection (SENS) Designed for installation in luminaires (slim design allows installation in flush-mounted box) Built-in twilight sensor and timer Temperature does not affect the detection.

ORNO GROUP Sp. z o. o. All rights reserved.


TECHNICAL DATA


General information:


Max. load:	1200
Max. load of the LED light source:	300 W
Degree of protection (IP):	20
Relay output:	Yes
Nominal voltage:	230V~, 50Hz
Presence detector:	No
Colour:	white
Installation:	surface /flush mounting
Dimensions of the sensor - width (mm):	39,4 mm
Dimensions of the sensor - height (mm):	56,8 mm
Dimensions of the sensor - depth (mm):	25 mm
Working temperature:	-20~+50
Detection angle:	360°/180°
Type of sensor:	Microwave
Detection range:	2-8 m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	5lux, 30lux, 150lux, 2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	5 sek., 30 sek., 90 sek., 3 min., 5 min., 10 min.
Adjustment of motion detection range (SENS):	Yes

ORNO GROUP Sp. z o. o. All rights reserved.










ORNO GROUP Sp. z o. o. All rights reserved.







ORNO GROUP Sp. z o. o. All rights reserved.