Flush mounted PIR motion sensor 360°

Marka: **Orno** | Symbol: **OR-CR-235** | Ean: **5901752484559**



PRODUCT DESCRIPTION

Passive infrared sensor For indoor usage Collaborates with LED lighting Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX) Greater accuracy (detection of even minor movements) Installation in suspended ceilings.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Max. load:	800
Max. load of the LED light source:	200 W
Degree of protection (IP):	20
Relay output:	Yes
Nominal voltage:	230V~, 50Hz
Presence detector:	Yes
Colour:	white
Installation:	flush mounting
Dimensions of the sensor - width (mm):	Ø50 mm
Dimensions of the sensor - height (mm):	Ø50 mm
Dimensions of the sensor - depth (mm):	66.5 mm
Detection angle:	360°
Dimensions of the mounting hole:	Ø40 mm
Type of sensor:	Infrared
Detection range:	Ø6m m
Adjustable daylight sensor (LUX):	Yes
Daylight sensor adjustment range (LUX):	<3—2000lux
Adjustable time setting (TIME):	Yes
Lighting time adjustment range (TIME):	min.: 10 sek. ± 3 sek., max.: 15min.±2min
Adjustment of motion detection range (SENS):	No

ORNO GROUP Sp. z o. o. All rights reserved.









ORNO GROUP Sp. z o. o. All rights reserved.





ORNO GROUP Sp. z o. o. All rights reserved.