Mini motion sensor 360°

Marka: **Orno** | Symbol: **OR-CR-258** | Ean: **5900378650270**

ORNO

5 YEARS WARRANTY



PRODUCT DESCRIPTION

Small, ultra flat sensor is designed for an automatic control of lighting or other electrical equipment. Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX). The sensor cooperates with LED lighting.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Model:	Czujnik ruchu
Sensor type:	Podczerwień pasywna
Scan angle [°]:	360
Optimum mounting height [m]:	2,2-4
Max. reach sideways [m]:	4
Diameter reach on floor [m]:	8
Detection moving speed [m/s]:	0,6-1,5
Response value luminosity adjustable:	Tak
Light intensity adjustment range [lx]:	<3-2000
Mounting method:	Montaż natynkowy
Suitable for ceiling mounting:	Tak
Suitable for wall mounting:	Nie
Connection type:	Zacisk śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Colour:	Biały
Degree of protection:	IP20
Voltage type:	AC
Frequency [Hz]:	50
Nominal voltage [V]:	230
Min. switch-on time [s]:	10
Max. duty cycle [min]:	15
Detection angle horizontal [°]:	360
Max. switching power [W]:	800
Max. switching power LED [W]:	200
Power consumption [W]:	0.5


ORNO GROUP Sp. z o. o. All rights reserved.

Relay output:	Tak
Temperature [°C]:	-20 - +40
Working humidity:	<93%
Depth [mm]:	25
Diameter [mm]:	102
Weight [g]:	90





ORNO GROUP Sp. z o. o. All rights reserved.







ORNO GROUP Sp. z o. o. All rights reserved.