Cable Connector, Straight, 3x4mm², 450V/25A

Marka: **Orno** | Symbol: **OR-AE-13601** | Ean: **5908254802096**



PRODUCT DESCRIPTION

This MINI cable connector is small in size and simple in shape. High ingress protection level IP68 guarantees resistance against difficult weather conditions and an additional sealing with an O-ring secures the product against chemical and mechanical damage. The material used for connector's production is resistant to UV rays and is suitable for outdoor use. This robust and firm construction as well as our innovative sealing solution make the product suitable for underground installation. Its contacts are made of brass with additional nickel layer to secure them against oxidation. Cable gland is equipped with a thick gasket to tightly seal all cables

ORNO GROUP Sp. z o. o. All rights reserved.

inside.

TECHNICAL DATA

General information:

Connector type:	MINI straight
Wire cross-section:	4 mm
Number of wires:	3
Power supply:	450V
Current:	25 A
Cable gauge:	6-12 mm mm
Degree of protection (IP):	68
Contacts material:	nickel-plated brass
Flame-resistant casing:	yes
UV radiation resistance:	Yes
Dimensions - width:	89 mm
Case flammability standard UL94:	V1
Dimensions - length (mm):	24 mm
Type of connection:	screw clamp
Underground installation:	Yes
Material housing:	PA6

ORNO GROUP Sp. z o. o. All rights reserved.







ORNO GROUP Sp. z o. o. All rights reserved.