PIR motion sensor 160°, 2 or 3 wires

Marka: **Orno** | Symbol: **OR-CR-220** | Ean: **5901752483026**

ORNO

5 YEARS WARRANTY



PRODUCT DESCRIPTION

Passive infrared sensor Operates in two or three-wire system For indoor usage Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX) Can be installed in the junction box of |srednica|60 mm.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Model:	Czujnik ruchu
Sensor type:	Podczerwień pasywna
Scan angle [°]:	160
Optimum mounting height [m]:	1-1,8
Max. reach sideways [m]:	9
Max. reach frontally [m]:	9
Detection moving speed [m/s]:	0,6-1,5
Response value luminosity adjustable:	Tak
Light intensity adjustment range [lx]:	<3-2000
Mounting method:	Montaż podtynkowy
Suitable for ceiling mounting:	Nie
Suitable for wall mounting:	Tak
Connection type:	Zacisk śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Colour:	Biały
Degree of protection:	IP20
Voltage type:	AC
Frequency [Hz]:	50
Nominal voltage [V]:	230
Min. switch-on time [s]:	10
Max. duty cycle [min]:	7
Detection angle horizontal [°]:	160
Max. switching power [W]:	500
Max. switching power LED [W]:	5-125
Power consumption [W]:	0.5

ORNO GROUP Sp. z o. o. All rights reserved.

Relay output:	Tak
Temperature [°C]:	-20 - +40
Working humidity:	<93%
Width [mm]:	80
Height [mm]:	80
Depth [mm]:	58
Weight [g]:	100
Built-in depth [mm]:	33
Built-in diameter [mm]:	58
Min. depth of built-in installation box [mm]:	38





ORNO GROUP Sp. z o. o. All rights reserved.









ORNO GROUP Sp. z o. o. All rights reserved.



ORNO GROUP Sp. z o. o. All rights reserved.