




CEILING PAVO RD









	EAN	W	lm Light Source	lm Output	K	IP	ΔT(°C)	V~	mA	Hz	DF	∠(°)	
CEILING PAVO RD 24W 830 IP20	4099854663727	24	2640	1680	3000	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING PAVO RD 24W 840 IP20	4099854663765	24	2640	1680	4000	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING PAVO RD 24W 865 IP20	4099854663802	24	2640	1680	6500	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING PAVO RD 48W 830 IP20	4099854664489	48	5280	3360	3000	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING PAVO RD 48W 840 IP20	4099854664502	48	5280	3360	4000	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING PAVO RD 48W 865 IP20	4099854664526	48	5280	3360	6500	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING PAVO RD 72W 830 IP20	4099854664540	72	7920	5040	3000	20	-20...+40	220-240	310	50/60	≥0.9	120	20000
CEILING PAVO RD 72W 840 IP20	4099854664564	72	7920	5040	4000	20	-20...+40	220-240	310	50/60	≥0.9	120	20000
CEILING PAVO RD 72W 865 IP20	4099854664588	72	7920	5040	6500	20	-20...+40	220-240	310	50/60	≥0.9	120	20000





CEILING PAVO RD 24W	CEILING PAVO RD 48W	CEILING PAVO RD 72W
3x 3x 610g	4x 4x 1150g	4x 4x 1535g

H

Ø

	Ø	H
CEILING PAVO RD 24W	380	74
CEILING PAVO RD 48W	475	76
CEILING PAVO RD 72W	560	76





Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

C10449057
G11261078
05.11.25

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom