


FLOODLIGHT GEN4




	EAN	l x w x h [mm]	W*	V _{AC}	Hz	lm*	lm/W	K
FL 10 P 8W 1K2LM 830 PS SY100 BK	4099854305689	136x127x36	8	220-240V	50/60Hz	1100	133	3000
FL 10 P 8W 1K2LM 830 PS SY100 WT	4099854305702	136x127x36	8	220-240V	50/60Hz	1100	133	3000
FL 10 P 8W 1K2LM 840 PS SY100 BK	4099854305665	136x127x36	8	220-240V	50/60Hz	1200	145	4000
FL 10 P 8W 1K2LM 840 PS SY100 WT	4099854305726	136x127x36	8	220-240V	50/60Hz	1200	145	4000
FL 10 P 8W 1K2LM 865 PS SY100 BK	4099854305740	136x127x36	8	220-240V	50/60Hz	1200	145	6500
FL 10 P 8W 1K2LM 865 PS SY100 WT	4099854305764	136x127x36	8	220-240V	50/60Hz	1200	145	6500
FL 20 P 17W 2K4LM 830 PS SY100 BK	4099854305788	157x141x38	17	220-240V	50/60Hz	2200	133	3000
FL 20 P 17W 2K4LM 830 PS SY100 WT	4099854305801	157x141x38	17	220-240V	50/60Hz	2200	133	3000
FL 20 P 17W 2K4LM 840 PS SY100 BK	4099854305825	157x141x38	17	220-240V	50/60Hz	2400	145	4000
FL 20 P 17W 2K4LM 840 PS SY100 WT	4099854305849	157x141x38	17	220-240V	50/60Hz	2400	145	4000
FL 20 P 17W 2K4LM 865 PS SY100 BK	4099854305863	157x141x38	17	220-240V	50/60Hz	2400	145	6500
FL 20 P 17W 2K4LM 865 PS SY100 WT	4099854305887	157x141x38	17	220-240V	50/60Hz	2400	145	6500
FL 50 P 41W 6KLM 830 PS SY100 BK	4099854305924	201x179x43	41	220-240V	50/60Hz	5500	133	3000
FL 50 P 41W 6KLM 830 PS SY100 WT	4099854305948	201x179x43	41	220-240V	50/60Hz	5500	133	3000
FL 50 P 41W 6KLM 840 PS SY100 BK	4099854305962	201x179x43	41	220-240V	50/60Hz	6000	145	4000
FL 50 P 41W 6KLM 840 PS SY100 WT	4099854305986	201x179x43	41	220-240V	50/60Hz	6000	145	4000
FL 50 P 41W 6KLM 865 PS SY100 BK	4099854306006	201x179x43	41	220-240V	50/60Hz	6000	145	6500
FL 50 P 41W 6KLM 865 PS SY100 WT	4099854306020	201x179x43	41	220-240V	50/60Hz	6000	145	6500

	EAN	IP	IK	∇	R _a	∅ (°C)	PF	👤
FL 10 P 8W 1K2LM 830 PS SY100 BK	4099854305689	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg
FL 10 P 8W 1K2LM 830 PS SY100 WT	4099854305702	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg
FL 10 P 8W 1K2LM 840 PS SY100 BK	4099854305665	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg
FL 10 P 8W 1K2LM 840 PS SY100 WT	4099854305726	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg

FLOODLIGHT GEN4










	EAN	IP	IK	∇	R _a	∅ (°C)	PF	⊎
FL 10 P 8W 1K2LM 865 PS SY100 BK	4099854305740	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg
FL 10 P 8W 1K2LM 865 PS SY100 WT	4099854305764	66	07	100°	≥80	-30...+50	> 0.9	0.4 kg
FL 20 P 17W 2K4LM 830 PS SY100 BK	4099854305788	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 20 P 17W 2K4LM 830 PS SY100 WT	4099854305801	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 20 P 17W 2K4LM 840 PS SY100 BK	4099854305825	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 20 P 17W 2K4LM 840 PS SY100 WT	4099854305849	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 20 P 17W 2K4LM 865 PS SY100 BK	4099854305863	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 20 P 17W 2K4LM 865 PS SY100 WT	4099854305887	66	07	100°	≥80	-30...+50	> 0.9	0.5 kg
FL 50 P 41W 6KLM 830 PS SY100 BK	4099854305924	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg
FL 50 P 41W 6KLM 830 PS SY100 WT	4099854305948	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg
FL 50 P 41W 6KLM 840 PS SY100 BK	4099854305962	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg
FL 50 P 41W 6KLM 840 PS SY100 WT	4099854305986	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg
FL 50 P 41W 6KLM 865 PS SY100 BK	4099854306006	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg
FL 50 P 41W 6KLM 865 PS SY100 WT	4099854306020	66	07	100°	≥80	-30...+50	> 0.9	0.8 kg






		230Vac							
		A	B	C	⊎	∅ m²	C10A	B16A	C16A
8W		68	48	5.5	2x M4	0.012 m²	78	98	125
17W		78	58	6.5	2x M5	0.015 m²	81	102	131
41W		108	78	8.5	2x M6	0.025 m²	40	50	64

FLOODLIGHT GEN4



FL 10 P 8W 1K2LM 830	6 W / 780 lm	8 W / 1100 lm
FL 10 P 8W 1K2LM 840	6 W / 850 lm	8 W / 1200 lm
FL 10 P 8W 1K2LM 865	6 W / 850 lm	8 W / 1200 lm
FL 20 P 17W 2K4LM 830	11 W / 1465 lm	17 W / 2200 lm
FL 20 P 17W 2K4LM 840	11 W / 1600 lm	17 W / 2400 lm
FL 20 P 17W 2K4LM 865	11 W / 1600 lm	17 W / 2400 lm
FL 50 P 41W 6KLM 830	27 W / 3670 lm	41 W / 5500 lm
FL 50 P 41W 6KLM 840	27 W / 4000 lm	41 W / 6000 lm
FL 50 P 41W 6KLM 865	27 W / 4000 lm	41 W / 6000 lm



LEDVANCE SASU
 CQM, 5 rue d'Altorf
 67120 Molsheim France
www.ledvance.com

C10449057
 G11226519
 23.01.25

© LEDVANCE Ltd, Sterling House,
 810 Mandarin Court, Warrington,
 Cheshire, WA1 1GG, United Kingdom