

TECHNICAL CARD



LED RECHARGEABLE READING LAMP



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



Ra ≥ 80



Free



-20° +40°C



Dimmable



Free



IP20

WARRANTY 2 YEARS

General parameters

Light source replaceable	no
--------------------------	----

Type of light source

Dimmable	yes
----------	-----

Technology	LED
------------	-----

Electrical parameters

On-mode power (Pon)	0.7 W
---------------------	-------

Input interface	USB-C
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

Photometric parameters

Luminous flux	60 Lm
---------------	-------

Correlated color temperature	6500K (cold white), 4000K (neutral white), 3000K (warm white)
------------------------------	---

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

CRI Min	Ra 80
---------	-------

VIDEX VL-NL134W White

INDEX: VL-NL134W

CRI Max

Ra 88

Additional information

Place of application	indoor
Motion sensor	no
Housing colour	White
Battery voltage	3.7 V
Battery type	Li-pol
Battery capacity	1000 mAh
Ultraviolet radiation	no
Battery replaceable	no
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP20
Housing material	ABS

Dimensions

EAN	4823135400486
Height	290 mm
Width	85 mm
Depth	30 mm
In the package	1 pc.
Outer box	96 pcs.
Unit nett weight	76g

Signs marking goods

Packaging marking	CE, Utilization
-------------------	-----------------

VIDEX®

VIDEX VL-NL134W White

INDEX: VL-NL134W

VIDEX®

VIDEX VL-NL134W White

INDEX: VL-NL134W



VIDEX®

VIDEX VL-NL134W White

INDEX: VL-NL134W

VIDEX®

VIDEX VL-NL134W White

INDEX: VL-NL134W


VIDEX[®]

VIDEX VL-NL134W White

INDEX: VL-NL134W

VIDEX®

VIDEX VL-NL134W White

INDEX: VL-NL134W

INDEX: VL-NL134W



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,

30-732 Krakow, Poland.



The product must be used indoors



Class III protection against electric shock - ensured by supplying a specific product with a safe very low voltage (SELV) without the risk of creating a voltage above safe levels



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— Ra > 80 - color rendering index



— The product does not emit ultraviolet light



— Operating temperatures range



— The product supports brightness adjustment



— The product does not contain mercury



— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture