


STREETLIGHT AREA



LEDVANCE




STREETLIGHT AREA






	EAN	l x w x h [mm]	W	VAC	Hz	lm	lm/W	K
SL AREA SM V 12W 727 RV20ST GY	4099854371585	448 x 172 x 73	12	100-240	50/60	1560	130	2700
SL AREA SM V 12W 730 RV20ST GY	4099854371608	448 x 172 x 73	12	100-240	50/60	1680	140	3000
SL AREA SM V 12W 740 RV20ST GY	4099854371622	448 x 172 x 73	12	100-240	50/60	1740	145	4000
SL AREA SM V 12W 765 RV20ST GY	4099854371646	448 x 172 x 73	12	100-240	50/60	1740	145	6500
SL AREA SM V 30W 727 RV20ST GY	4099854030031	448 x 172 x 73	30	100-240	50/60	3900	130	2700
SL AREA SM V 30W 730 RV20ST GY	4099854030055	448 x 172 x 73	30	100-240	50/60	3900	130	3000
SL AREA SM V 30W 740 RV20ST GY	4099854030079	448 x 172 x 73	30	100-240	50/60	4050	135	4000
SL AREA SM V 30W 765 RV20ST GY	4099854030093	448 x 172 x 73	30	100-240	50/60	4050	135	6500
SL AREA SM V 45W 727 RV20ST GY	4099854030116	448 x 172 x 73	45	100-240	50/60	5850	130	2700
SL AREA SM V 45W 730 RV20ST GY	4099854030130	448 x 172 x 73	45	100-240	50/60	5850	130	3000
SL AREA SM V 45W 740 RV20ST GY	4099854030154	448 x 172 x 73	45	100-240	50/60	6075	135	4000
SL AREA SM V 45W 765 RV20ST GY	4099854030178	448 x 172 x 73	45	100-240	50/60	6075	135	6500
SL AREA MD V 65W 727 RV20ST GY	4099854030192	515 x 193 x 73	65	100-240	50/60	8450	130	2700
SL AREA MD V 65W 730 RV20ST GY	4099854030215	515 x 193 x 73	65	100-240	50/60	8450	130	3000
SL AREA MD V 65W 740 RV20ST GY	4099854030239	515 x 193 x 73	65	100-240	50/60	8775	135	4000
SL AREA MD V 65W 765 RV20ST GY	4099854030253	515 x 193 x 73	65	100-240	50/60	8775	135	6500
SL AREA SPD SM V 12W 727 RV20ST GY	4099854371509	448 x 172 x 73	12	100-240	50/60	1560	130	2700
SL AREA SPD SM V 12W 730 RV20ST GY	4099854371523	448 x 172 x 73	12	100-240	50/60	1680	140	3000
SL AREA SPD SM V 12W 740 RV20ST GY	4099854371547	448 x 172 x 73	12	100-240	50/60	1740	145	4000
SL AREA SPD SM V 12W 765 RV20ST GY	4099854371561	448 x 172 x 73	12	100-240	50/60	1740	145	6500
SL AREA SPD SM V 30W 727 RV20ST GY	4099854030277	448 x 172 x 73	30	100-240	50/60	3900	130	2700
SL AREA SPD SM V 30W 730 RV20ST GY	4099854030291	448 x 172 x 73	30	100-240	50/60	3900	130	3000
SL AREA SPD SM V 30W 740 RV20ST GY	4099854030314	448 x 172 x 73	30	100-240	50/60	4050	135	4000
SL AREA SPD SM V 30W 765 RV20ST GY	4099854030338	448 x 172 x 73	30	100-240	50/60	4050	135	6500
SL AREA SPD SM V 45W 727 RV20ST GY	4099854030352	448 x 172 x 73	45	100-240	50/60	5850	130	2700
SL AREA SPD SM V 45W 730 RV20ST GY	4099854030376	448 x 172 x 73	45	100-240	50/60	5850	130	3000
SL AREA SPD SM V 45W 740 RV20ST GY	4099854030390	448 x 172 x 73	45	100-240	50/60	6075	135	4000
SL AREA SPD SM V 45W 765 RV20ST GY	4099854030413	448 x 172 x 73	45	100-240	50/60	6075	135	6500
SL AREA SPD MD V 65W 727 RV20ST GY	4099854030437	515 x 193 x 73	65	100-240	50/60	8450	130	2700
SL AREA SPD MD V 65W 730 RV20ST GY	4099854030451	515 x 193 x 73	65	100-240	50/60	8450	130	3000
SL AREA SPD MD V 65W 740 RV20ST GY	4099854030475	515 x 193 x 73	65	100-240	50/60	8775	135	4000
SL AREA SPD MD V 65W 765 RV20ST GY	4099854030499	515 x 193 x 73	65	100-240	50/60	8775	135	6500
SL AREA SPD LA V 90W 727 RV35ST GY	4099854079801	615 x 260 x 73	90	100-240	50/60	11700	130	2700
SL AREA SPD LA V 90W 730 RV35ST GY	4099854079825	615 x 260 x 73	90	100-240	50/60	11700	130	3000
SL AREA SPD LA V 90W 740 RV35ST GY	4099854079849	615 x 260 x 73	90	100-240	50/60	12150	135	4000
SL AREA SPD LA V 90W 765 RV35ST GY	4099854079863	615 x 260 x 73	90	100-240	50/60	12150	135	6500
SL AREA SPD LA V 120W 727 RV35ST GY	4099854079887	615 x 260 x 73	120	100-240	50/60	15600	130	2700
SL AREA SPD LA V 120W 730 RV35ST GY	4099854079900	615 x 260 x 73	120	100-240	50/60	15600	130	3000
SL AREA SPD LA V 120W 740 RV35ST GY	4099854079924	615 x 260 x 73	120	100-240	50/60	16200	135	4000
SL AREA SPD LA V 120W 765 RV35ST GY	4099854079948	615 x 260 x 73	120	100-240	50/60	16200	135	6500
SL AREA SPD XL V 150W 727 RV35ST GY	4099854079962	695 x 273 x 73	150	100-240	50/60	19500	130	2700
SL AREA SPD XL V 150W 730 RV35ST GY	4099854079986	695 x 273 x 73	150	100-240	50/60	19500	130	3000
SL AREA SPD XL V 150W 740 RV35ST GY	4099854080012	695 x 273 x 73	150	100-240	50/60	20250	135	4000
SL AREA SPD XL V 150W 765 RV35ST GY	4099854080036	695 x 273 x 73	150	100-240	50/60	20250	135	6500

STREETLIGHT AREA



	EAN	IP	IK	∇	R _a	°(°C)	PF	⊞
SL AREA SM V 12W 727 RV20ST GY	4099854371585	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 730 RV20ST GY	4099854371608	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 740 RV20ST GY	4099854371622	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 12W 765 RV20ST GY	4099854371646	66	08	160° x 58°	>70	-30...+50	>0.9	1.35 kg
SL AREA SM V 30W 727 RV20ST GY	4099854030031	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 30W 730 RV20ST GY	4099854030055	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 30W 740 RV20ST GY	4099854030079	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 30W 765 RV20ST GY	4099854030093	66	08	160° x 58°	>70	-30...+50	>0.9	1.40 kg
SL AREA SM V 45W 727 RV20ST GY	4099854030116	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 45W 730 RV20ST GY	4099854030130	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 45W 740 RV20ST GY	4099854030154	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA SM V 45W 765 RV20ST GY	4099854030178	66	08	160° x 58°	>70	-30...+50	>0.9	1.44 kg
SL AREA MD V 65W 727 RV20ST GY	4099854030192	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 65W 730 RV20ST GY	4099854030215	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 65W 740 RV20ST GY	4099854030239	66	08	160° x 58°	>70	-30...+50	>0.9	1.74 kg
SL AREA MD V 65W 765 RV20ST GY	4099854030253	66	08	160° x 58°	>70	-30...+50	>0.9	1.74kg
SL AREA SPD SM V 12W 727 RV20ST GY	4099854371509	66	08	160° x 58°	>70	-30...+50	>0.9	1.40kg
SL AREA SPD SM V 12W 730 RV20ST GY	4099854371523	66	08	160° x 58°	>70	-30...+50	>0.9	1.40kg
SL AREA SPD SM V 12W 740 RV20ST GY	4099854371547	66	08	160° x 58°	>70	-30...+50	>0.9	1.40kg
SL AREA SPD SM V 12W 765 RV20ST GY	4099854371561	66	08	160° x 58°	>70	-30...+50	>0.9	1.40kg
SL AREA SPD SM V 30W 727 RV20ST GY	4099854030277	66	08	160° x 58°	>70	-30...+50	>0.9	1.45kg
SL AREA SPD SM V 30W 730 RV20ST GY	4099854030291	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SL AREA SPD SM V 30W 740 RV20ST GY	4099854030314	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SL AREA SPD SM V 30W 765 RV20ST GY	4099854030338	66	08	160° x 58°	>70	-30...+50	>0.9	1.45 kg
SL AREA SPD SM V 45W 727 RV20ST GY	4099854030352	66	08	160° x 58°	>70	-30...+50	>0.9	1.49kg
SL AREA SPD SM V 45W 730 RV20ST GY	4099854030376	66	08	160° x 58°	>70	-30...+50	>0.9	1.49kg
SL AREA SPD SM V 45W 740 RV20ST GY	4099854030390	66	08	160° x 58°	>70	-30...+50	>0.9	1.49kg
SL AREA SPD SM V 45W 765 RV20ST GY	4099854030413	66	08	160° x 58°	>70	-30...+50	>0.9	1.49 kg
SL AREA SPD MD V 65W 727 RV20ST GY	4099854030437	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SL AREA SPD MD V 65W 730 RV20ST GY	4099854030451	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SL AREA SPD MD V 65W 740 RV20ST GY	4099854030475	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SL AREA SPD MD V 65W 765 RV20ST GY	4099854030499	66	08	160° x 58°	>70	-30...+50	>0.9	1.79 kg
SL AREA SPD LA V 90W 727 RV35ST GY	4099854079801	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SL AREA SPD LA V 90W 730 RV35ST GY	4099854079825	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SL AREA SPD LA V 90W 740 RV35ST GY	4099854079849	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SL AREA SPD LA V 90W 765 RV35ST GY	4099854079863	66	08	155° x 69°	>70	-30...+50	>0.9	3.05kg
SL AREA SPD LA V 120W 727 RV35ST GY	4099854079887	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SL AREA SPD LA V 120W 730 RV35ST GY	4099854079900	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SL AREA SPD LA V 120W 740 RV35ST GY	4099854079924	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SL AREA SPD LA V 120W 765 RV35ST GY	4099854079948	66	08	155° x 69°	>70	-30...+50	>0.9	3.10 kg
SL AREA SPD XL V 150W 727 RV35ST GY	4099854079962	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SL AREA SPD XL V 150W 730 RV35ST GY	4099854079986	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SL AREA SPD XL V 150W 740 RV35ST GY	4099854080012	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg
SL AREA SPD XL V 150W 765 RV35ST GY	4099854080036	66	08	155° x 69°	>70	-30...+50	>0.9	4.30 kg

STREETLIGHT AREA





SL AREA SPD XL V 150W

0.13m² 0.019m²



0.035m²


m²

695 553 [mm]

273

60 73



 **4058075730250**

$\varnothing 62$

$\varnothing 62$

$\varnothing 42$ $\varnothing 62$





2x





4x

$\varnothing 62$


$\varnothing 42$

[mm]






9



	Inrush current [A]	Th50 [µs]	B10	B16	B32	C10	C16	C32
SL AREA SM V 12W	9.6	448	14	18	36	18	30	60
SL AREA SM V 30W	8.9	100	51	82	165	55	88	177
SL AREA SM V 45W	8.6	100	37	60	120	40	64	129
SL AREA MD V 65W	8.4	100	23	37	75	25	40	81
SL AREA SPD LA V 90W	9.8	360	17	28	56	18	30	60
SL AREA SPD LA V 120W	6.1	840	12	20	41	13	22	44
SL AREA SPD XL V 150W	8.9	400	10	17	34	11	18	36



Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

C10449057
G11216618
30.12.24

© LEDVANCE Ltd, Sterling House, 810
Mandarin Court, Warrington, Cheshire,
WA1 1GG, United Kingdom