

TECHNICAL CARD



LED RECHARGEABLE LIGHT with MOTION SENSOR



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.



Ra ≥ 80



Free



-20° +40°C



Dimmable



Free



IP20

WARRANTY 2 YEARS

General parameters

Light source replaceable	no
--------------------------	----

Type of light source

Dimmable	yes
----------	-----

Technology	LED
------------	-----

Electrical parameters

On-mode power (Pon)	1.2 W
---------------------	-------

Input interface	USB-C
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

Photometric parameters

Luminous flux	100 Lm
---------------	--------

Correlated color temperature	6500K (cold white), 4000K (neutral white), 3000K (warm white)
------------------------------	---

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

CRI Min	Ra 80
---------	-------

VIDEX VL-NL090B

INDEX: VL-NL090B

CRI Max

Ra 88

Additional information

Place of application	indoor
----------------------	--------

Motion sensor	yes
---------------	-----

Sensor type	Microwave
-------------	-----------

Sensor time delay	20 s
-------------------	------

Sensor detection angle	360°
------------------------	------

Sensor detection distance	1 - 2 m
---------------------------	---------

Housing colour	Black
----------------	-------

Battery voltage	3.7 V
-----------------	-------

Battery type	Li-pol
--------------	--------

Battery capacity	1000 mAh
------------------	----------

Ultraviolet radiation	no
-----------------------	----

Battery replaceable	no
---------------------	----

Operating temperature range	-20° +40°C
-----------------------------	------------

Mercury content	Does not contain
-----------------	------------------

Ingress protection	IP20
--------------------	------

Housing material	ABS
------------------	-----

Dimensions

EAN	4823135400516
-----	---------------

Height	80 mm
--------	-------

Width	80 mm
-------	-------

Depth	17 mm
-------	-------

In the package	1 pc.
----------------	-------

Outer box	100 pcs.
-----------	----------

VIDEX®


VIDEX VL-NL090B

INDEX: VL-NL090B**Unit nett weight** 65g**Signs marking goods****Packaging marking** CE, Utilization


VIDEX®

VIDEX VL-NL090B

INDEX: VL-NL090B

VIDEX®**VIDEX VL-NL090B****INDEX: VL-NL090B**

VIDEX[®]**VIDEX VL-NL090B****INDEX: VL-NL090B**

INDEX: VL-NL090B


We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,

30-732 Krakow, Poland.



The product must be used indoors



Class III protection against electric shock - ensured by supplying a specific product with a safe very low voltage (SELV) without the risk of creating a voltage above safe levels



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— Ra > 80 - color rendering index



— The product does not emit ultraviolet light



— Operating temperatures range



— The product supports brightness adjustment



— The product does not contain mercury



— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture