






CEILING SKYNE SQ









	EAN	W	lm Light Source	lm Output	K	IP	ΔT(°C)	V~	mA	Hz	DF	∠(°)	Ⓜ
CEILING SKYNE SQ 24W 830 IP20	4099854663789	24	2640	1680	3000	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING SKYNE SQ 24W 840 IP20	4099854663826	24	2640	1680	4000	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING SKYNE SQ 24W 865 IP20	4099854663840	24	2640	1680	6500	20	-20...+40	220-240	165	50/60	≥0.7	120	20000
CEILING SKYNE SQ 48W 830 IP20	4099854664755	48	5280	3360	3000	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING SKYNE SQ 48W 840 IP20	4099854664779	48	5280	3360	4000	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING SKYNE SQ 48W 865 IP20	4099854664793	48	5280	3360	6500	20	-20...+40	220-240	200	50/60	≥0.9	120	20000
CEILING SKYNE SQ 72W 830 IP20	4099854663864	72	7920	5040	3000	20	-20...+40	220-240	310	50/60	≥0.9	120	20000
CEILING SKYNE SQ 72W 840 IP20	4099854663901	72	7920	5040	4000	20	-20...+40	220-240	310	50/60	≥0.9	120	20000
CEILING SKYNE SQ 72W 865 IP20	4099854663963	72	7920	5040	6500	20	-20...+40	220-240	310	50/60	≥0.9	120	20000





CEILING SKYNE SQ 24W	CEILING SKYNE SQ 48W	CEILING SKYNE SQ 72W
		
4x  4x  610g	4x  4x  1110g	4x  4x  1430g





	L	W	H
CEILING SKYNE SQ 24W	330	330	72
CEILING SKYNE SQ 48W	430	430	72
CEILING SKYNE SQ 72W	475	475	72





Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

C10449057
G11261081
05.11.25

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom