

UNIVERSAL PRODUCT SAFETY LEAFLET

Multilingual – EN, FR, DE, GA, IT, PL, ES, SV, NL

ENGLISH (EN)

Safety Warnings:

- Use this product only as intended.
- Keep out of reach of children and pets.
- Do not use if damaged or incomplete.
- Avoid contact with heat, fire or moisture.

FRENCH (FR)

Avertissements de Sécurité:

- Utiliser uniquement conformément à l'usage prévu.
- Tenir hors de portée des enfants et des animaux.
- Ne pas utiliser si endommagé ou incomplet.
- Éviter chaleur, feu ou humidité.

GERMAN (DE)

Sicherheitshinweise:

- Produkt nur bestimmungsgemäß verwenden.
- Von Kindern und Haustieren fernhalten.
- Nicht verwenden, wenn beschädigt.
- Hitze, Feuer und Feuchtigkeit vermeiden.

IRISH (GA)

Rabhaidh Sábháilteachta:

- Úsáid mar a ceapadh é amháin.
- Coinnigh ó leanaí agus peataí é.
- Ná húsáid má tá sé damáistithe.

- Seachain teas agus taise.

ITALIAN (IT)

Avvertenze di Sicurezza:

- Usare solo per lo scopo previsto.
- Tenere lontano da bambini e animali.
- Non utilizzare se danneggiato.
- Evitare fuoco, calore e umidità.

POLISH (PL)

Ostrzeżenia Bezpieczeństwa:

- Używać zgodnie z przeznaczeniem.
- Trzymać z dala od dzieci i zwierząt.
- Nie używać, jeżeli uszkodzony.
- Unikać ognia i wilgoci.

SPANISH (ES)

Advertencias de Seguridad:

- Usar solo según lo previsto.
- Mantener fuera del alcance de niños y mascotas.
- No usar si está dañado.
- Evitar calor, fuego y humedad.

SWEDISH (SV)

Säkerhetsvarningar:


- Använd endast enligt syfte.
- Förvara utom räckhåll för barn.
- Använd ej om skadad.

- Undvik värme och fukt.

DUTCH (NL)

Veiligheidswaarschuwingen:

- Gebruik alleen zoals bedoeld.
- Buiten bereik van kinderen houden.
- Niet gebruiken indien beschadigd.
- Vermijd vuur, hitte en vocht.



EAT•N®

Powering Business Worldwide™

EATON 3S

UPS / ONDULEUR / USV / SAI
ИСТОЧНИК БЕСПЕРЕБОЙНОГО
ПИТАНИЯ



COMPLIANT TO
IEC 61643-11 ⚡
STANDARD

NORME PARAFOUDRE

**UNLIMITED
WARRANTY*** ✓

GARANTIE

20MIN RUNTIME ⌚

AUTONOMIE

LOW NOISE 🗣️
SILENCIEUX

EATON®

Powering Business Worldwide™

EATON

UPS / ONDULEUR
ИСТОЧНИК БЕСПЕР
ПИТАНИЯ



csXe0fb909B

**850 VA
510 W**

USB
COM



COMPLIANT TO
IEC 61643-11
STANDARD

NORME PARAFoudre

UNLIMITED
WARRANTY*

WARRANTIE

5 YEARS
GARANTIE



10212261144 - 0004

LOW NOISE
SILENCIEUX



Model /
Modèle /
Modell /
Model /
Modello /
Modelo /
Modelo /
Модель

Power /
Puissance /
Nennleistung /
Vermogen /
Zasilanie /
Potenza /
Potencia /
Potência /
Мощность

Typical use /
Application /
Anwendung /
Typische toepassing /
Zastosowanie /
Applicazione /
Aplicación /
Aplicação /
Применение





Runtime /
Autonomie /
Autonomie /
Runtime /
Czas pracy /
Autonomia /
Autonomía /
Autonomia /
Время работы

Outlets /
Prises /
Steckdosen /
Uitgangen /
Wyjścia /
Prese /
Salidas /
Tomadas /
Выходные
разъемы

USB Com / Com
USB / USB Komm
/ USB Com / Port
USB / Porta USB
/ Comunicación
USB / ComUSB /
USB-порт для
подключения к ПК

Tel line protection /
Protection ligne
téléphonique /
Telefonleitung
Überspannungsschutz /
Tel lijn beveiliging /
Ochrona linii
telefonicznej /
Protezione linea
telefonica / Protección
línea telefónica /
Proteção Linha
Telefônica /
Защита линий
передачи данных

USB charge /
Charge USB /
USB laden /
USB laden / Port
USB - ładowanie
/ Ricarica USB /
Carga USB /
Carregador USB /
Зарядный
USB-порт

EATON 3S 450	270W		10/15 MIN.	6	☐	☐	☐
EATON 3S 550	330W		10/15 MIN.	6	☐	☐	☐
EATON 3S 700	420W		10/20 MIN.	8	☐	☐	☐
EATON 3S 850	510W		10/20 MIN.	8	☐	☐	☐

BTRY MFG DATE: 16-DEC-2023
RECHARGE BY: 15-SEP-2024

Eaton 3S 850 FR

Catalog Nb: 3S850F

UPC Code
43172101808

MFG ID: 9400-A304 Rev: 00

S/N: GE71P50318

CE UK &


5.0kg/11.0lbs

Made in China

CE compliance contact:
Eaton I.F. SAS 110 rue Blaise Pascal.
38330 Montbonnot St Martin, France

Made in China

5.0kg/11.0lbs



S/N: GE71P50318

MFG ID: 9400-A304 Rev: 00



7 43172101801 8

Catalog Nb: 3S850F

Eaton 3S 850 FR

UPC Code



CE compliance contact:
Eaton LP, SAS 110 rue Blaise Pascal,
38330 Montbonnot St Martin, France



- 1** 4 outlets with battery back-up and surge protection
4 prises avec autonomie et protection surtension
4 Steckdosen mit Überspannungsschutz und Batterie-Backup (USV)
4 Uitgangen met batterij back-up en overspanningsbeveiliging
4 gniazda z podtrzymaniem baterijnym i ochroną przeciwprzepięciową
4 prese con autonomia da batteria e protezione dalle sovratensioni
4 salidas con autonomía por baterías y protección ante sobretensiones
4 tomadas com autonomia e proteção contra sobretensões
4 розетки с батарейным резервированием и защитой от перенапряжений

- 5** UPS status LED
Indicateur lumineux de l'état de l'onduleur
USV Status LED
UPS status LED
Wskaźnik LED
Led di stato UPS
LED de estado del SAI
LED de estado da UPS
Светодиодный индикатор состояния ИБП

- 6** USB charge
Charge USB
USB laden
USB laden
Port USB - ładowanie
Ricarica USB
Carga USB
Carregador USB
Зарядный USB-порт

- 2** 4 outlets with surge protection
4 prises avec protection surtension
4 Steckdosen mit Überspannungsschutz
4 Uitgangen met overspanningsbeveiliging
4 gniazda z ochroną przeciwprzepięciową
4 prese con protezione dalle sovratensioni
4 salidas con protección ante sobretensiones
4 tomadas com proteção contra sobretensões
4 розетки с защитой от перенапряжений

- 7** Tel line protection
Protection ligne téléphonique
Telefonleitung
Überspannungsschutz
Tel lijn beveiliging
Ochrona linii telefonicznej
Protezione linea telefonica
Protección línea telefónica
Proteção Linha Telefônica
Защита линий передачи данных

- 3** Wallmounting system
Montage mural
Einfaches Wandbefestigungssystem
Wandbevestigingssysteem
Możliwość mocowania na ścianie
Sistema di fissaggio al muro
Montaje en pared
Montagem mural
Настенный монтаж

- 8** USB Com
Com USB
USB Komm
USB Com
Port USB
Porta USB
Comunicación USB
Com USB
USB-порт для подключения к ПК

- 4** Reset button (circuit breaker)
Disjoncteur réarmable
Reset Button (Schutzschalter)
Resetknop (stroomonderbreker)
Przycisk resetujący (bezpiecznik)
Interruttore per reset
Disyuntor rearmable
Disyuntor rearmável
Кнопка сброса (автоматический выключатель)
- 9** Replaceable batteries
Batteries remplaçables
Austauschbare Batterien
Vervangbare batterijen
Wymienne baterie
Batterie sostituibili
Baterías reemplazables
Baterias substituíveis
Заменяемый аккумулятор

TECHNICAL SPECIFICATIONS

EATON 3S
700

EATON 3S
850

Technology	High frequency UPS	
Output connection	8 outlets (4 with battery backup and surge protection + 4 with surge protection)	
Output power on back-up outlets	700VA / 420W	850VA / 510W
Advanced surge reduction	Power: 3 lines protection Data: Tel & xDSL (Internet) line protection Uoc=6kV; Up<1.5kV; In=3kA	
USB charger	2 USB ports (2A max)	
Communication interface	1 USB port (cable included)	
Nominal voltage and frequency	220-240V~ ; 50/60Hz autoselect	
Input voltage range	Up to 160V - 284V	
Features	Automatic battery test, battery replacement indicator, surge protection status LED, resettable circuit breaker, audible alarm (can be disabled), permanent battery recharge (even when off), wallmounting system.	
UPS Warranty	2 years including battery (optional warranty extension)	
*Warranty of equipment	Warranty of connected equipment with unlimited amount; applicable in EU countries and Norway only, reserved to individual persons and liberal professions.	
Standards	IEC 62040-1, IEC 62040-2, IEC 61643-11  , CE mark	

EATON IS GLOBAL LEADER IN POWER DISTRIBUTION, POWER QUALITY, CONTROL-AUTOMATION AND MONITORING SOFTWARE PRODUCTS.

With a wide range of UPS and surge suppressors, Eaton is one of the largest worldwide producer of power quality equipment, serving the needs of data center IT, industrial, commercial and residential sectors.

Eaton has approximately 96,000 employees and sells products to customers in more than 175 countries.

For more information, visit Eaton.com



FR



DIN